


APPLICATION FOR PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐ SURFACE WATER ☒ GROUND WATER

\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION

(GRAY BOXES FOR OFFICE USE ONLY)



APPLICATION NO. **G 329503** W.B.I.A. **59** COUNTY **STEVENS** PRIORITY DATE **6-28-93** TIME **1:53** ACCEPTED **G.D.**

APPLICANT'S NAME — PLEASE PRINT

(Harold E. Monette)
(Shirley M. Monette)

Bus. Tel.

Home Tel. **509-738-6184**

Other Tel.

ADDRESS (STREET)

3943 Hwy 20 E.

(CITY)

(Kettle Falls)

(STATE)

Wash.

(ZIP CODE)

99141

DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION

1. SOURCE OF SUPPLY

IF SURFACE WATER

IF GROUND WATER

SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE)

SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.)

TRIBUTARY

SIZE AND DEPTH

(A well)
well log attached

2. USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)

Domestic Supply

ENTER QUANTITY OF WATER REQUESTED USING UNITS OF:

CUBIC FEET PER SECOND (CFS)

OR

GALLONS PER MINUTE (GPM)

ACRE FEET PER YEAR

(25)

(Continuous Group Domestic Supply)

TIMES DURING YEAR WATER WILL BE REQUIRED

Continuous

IF IRRIGATION, NUMBER OF ACRES

IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC.

4-Homes

IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY

DATE PROJECT WAS OR WILL BE STARTED

3-9-93

DATE PROJECT WAS OR WILL BE COMPLETED

11-1-93

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)	SECTION	TOWN	RANGE	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION
1		SP40-92	9	34	39	

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION, SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION)	SECTION	TOWNSHIP N.	RANGE (E. OR W.) W.M.	COUNTY
SE4SE4	9	34	39 E.	STEVENS

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER

yes

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.

That part of the SE4 of the SE4 of S9-T34N. R 39E W.M. in stevens Co, Wash. lying Northerly and Westerly of Arden Hill County Road # 2639

I have examined this application as required by SEPA and find that it is: ☐ not an "action".

☒ categorically exempt.

8-18-93

DATE

SIGNATURE

Kene Denny

WHAT IS YOUR INTEREST IN THE PROPERTY ON WHICH THE WATER IS TO BE USED (PROPERTY OWNER, LESSEE, CONTRACT PURCHASER, ETC.)

Contract Purchaser.

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.)

☐ YES ☒ NO

IF YES, FROM WHAT SOURCE (i.e. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY

6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

system to serve four lots 8'x8' concrete block pump house. 5hp. 25 GPM pump. 2-88 gal pressure tanks. - 3/4 sch. 40 P.V.C. to each lot.

REMARKS

7.

8.

COMPLETE THIS SECTION ONLY IF THIS APPLICATION INCLUDES IRRIGATION AS A USE

IN ORDER TO IMPLEMENT THE PROVISIONS OF INITIATIVE MEASURE NUMBER 59, THE FAMILY FARM WATER ACT WHICH WAS PASSED BY THE VOTERS ON NOVEMBER 3, 1977, WE MUST ASK THE FOLLOWING QUESTIONS:

DOES THE TOTAL NUMBER OF ACRES IN WHICH YOU HAVE CONTROLLING INTEREST IN THE STATE OF WASHINGTON EXCEED 2000 ACRES FOR THE FOLLOWING THREE CATEGORIES:

1. LANDS THAT ARE BEING IRRIGATED UNDER WATER RIGHTS ACQUIRED AFTER DECEMBER 8, 1977.

YES ☐

NO ☐

2. LANDS THAT MAY BE IRRIGATED UNDER APPLICATIONS NOW ON FILE WITH THE DEPARTMENT OF ECOLOGY.

YES ☐

NO ☐

3. LANDS THAT MAY BE IRRIGATED UNDER THIS APPLICATION.

YES ☐

NO ☐

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

HAROLD E. Monette
Shipley M. Monette
LEGAL LANDOWNERS NAME
(PLEASE PRINT)

Harold E. Monette
Shipley M. Monette
APPLICANT'S SIGNATURE

Same
LEGAL LANDOWNER'S SIGNATURE (OWNER OF PROPERTY DESCRIBED IN ITEM NUMBER 5)

3943 Hwy 20E. Kettle Falls WA
LEGAL LANDOWNER'S ADDRESS
99141

FOR OFFICE USE ONLY

STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

ss.

This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:

.....

.....


In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before, 19.....

Witness my hand this day of, 19.....

SECTION MAP



Sec. 9 Twp. 34 N. R. 39



Scale: 1 inch = 800 feet (each small square = 10 acres)

Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source). For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile.


Indicate traveling directions from nearest town in space below.

6 miles South of Colville to Arden then
West on Arden Hill road to turn of

Detach here

329503

Fold along scale



Detach this scale at the performance, fold excess paper under or cut off excess by cutting along the scale line. This scale corresponds to the SECTION MAP above. You can read feet directly from this scale to outline property and locate points of diversion or withdrawal on the SECTION MAP. Enclose this map along with the application and \$10.00 examination fee.